


Redhat / CentOS 7 - Grapical Installation

The graphical installation interface is the preferred method of manually installing Red Hat Enterprise Linux. It allows you full control over all available settings, including custom partitioning and advanced storage configuration, and it is also localized to many languages other than English, allowing you to perform the entire installation in a different language.


So let's start!

1. The first screen of the installation program is the Welcome to Red Hat Enterprise Linux 7.3 screen. Here you select the language that Anaconda will use for the rest of the installation. This selection will also become the default for the installed system, unless changed later. So do your choice, then click "Continue"




2. This leads us, to the Installation Summary screen, the central location for setting up an installation. Hier starten wir nun auch schon bereitz, mit unserer ersten Konfiguration:

Netzwerk Konfiguration



The screenshot shows the 'INSTALLATION SUMMARY' screen for CentOS Linux 7. The interface is divided into several sections: LOCALIZATION, SOFTWARE, and SYSTEM. Under LOCALIZATION, 'DATE & TIME' is set to 'Americas/New York timezone' and 'KEYBOARD' is set to 'English (US)'. Under SOFTWARE, 'INSTALLATION SOURCE' is 'Local media' and 'SOFTWARE SELECTION' is 'Minimal Install'. Under SYSTEM, 'INSTALLATION DESTINATION' is 'Automatic partitioning selected' and 'KDUMP' is 'Kdump is enabled'. The 'NETWORK & HOST NAME' section is highlighted with a red box and shows 'Not connected'. A red box also highlights the 'INSTALLATION DESTINATION' section. At the bottom, there are 'Quit' and 'Begin Installation' buttons. A warning message at the bottom states: 'Please complete items marked with this icon before continuing to the next step.'



The screenshot shows the 'NETWORK & HOST NAME' configuration screen. The 'Done' button is visible in the top left. A list of network interfaces is shown on the left, with 'Ethernet (eth0)' selected and highlighted with a red box and a red '1.' next to it. On the right, the details for 'Ethernet (eth0)' are shown, including 'Disconnected', 'Hardware Address 00:15:5D:01:04:2D', 'Speed', and 'Subnet Mask 127.0.0.1'. At the bottom right, the 'Configure...' button is highlighted with a red box and a red '2.' next to it. At the bottom left, the 'Host name' is set to 'localhost.localdomain' with an 'Apply' button. At the bottom right, the 'Current host name' is also 'localhost.localdomain'.



NETWORK & HOST NAME CENTOS LINUX 7 INSTALLATION

Done us Help!

Ethernet (eth0) Ethernet (eth0) Disconnected OFF

Ethernet (eth1) Hardware Address 00:15:5D:01:04:2D

Speed

Editing eth0

Connection name: eth0

General Ethernet 802.1X Security DCB **1. IPv4 Settings** IPv6 Settings

Method: **2. Manual**

Addresses

Address	Netmask	Gateway	3. Add
4. 192.168.1.15	24	192.168.1.1	Delete

DNS servers: **5. 192.168.1.1**

Search domains:

DHCP client ID:

Require IPv4 addressing for this connection to complete

6. Cancel Save

Configure...

Host name: localhost.localdomain Current host name: localhost.localdomain

NETWORK & HOST NAME CENTOS LINUX 7 INSTALLATION

Done us Help!

Ethernet (eth0)

Ethernet (eth1)

+ -

Ethernet (eth0) Connected ON

Hardware Address 00:15:5D:01:04:2D

Speed

IPv4 Address 192.168.1.15

IPv6 Address 2001:8e0:2043:7400:d63:44e3:968a:b45c/64

Subnet Mask 255.255.255.0

Default Route 192.168.1.1

DNS 192.168.1.1

Configure...

Host name: 1. Apply 2.

Current host name: xweb5-server.blacknet

NETWORK & HOST NAME CENTOS LINUX 7 INSTALLATION

Done us Help!

Ethernet (eth0)

1. Ethernet (eth1)

+ -

Ethernet (eth1) Connected ON

Hardware Address 00:15:5D:01:04:2E

Speed

IP Address 10.0.0.15

Subnet Mask 255.255.255.0


Default Route 10.0.0.1

DNS

Configure...




Host name: 2. Apply

Current host name: xweb5-server.blacknet





INSTALLATION SUMMARY CENTOS LINUX 7 INSTALLATION
us Help!





LOCALIZATION

-  **DATE & TIME**
Americas/New York timezone
-  **KEYBOARD**
English (US)
-  **LANGUAGE SUPPORT**
English (United States)

SOFTWARE


-  **INSTALLATION SOURCE**
Local media
-  **SOFTWARE SELECTION**
Minimal Install

SYSTEM

-  **INSTALLATION DESTINATION**
Automatic partitioning selected
-  **NETWORK & HOST NAME**
Connected: eth1, eth0
-  **KDUMP**
Kdump is enabled
-  **SECURITY POLICY**
No profile selected

Quit Begin Installation

We won't touch your disks until you click 'Begin Installation'.

 Please complete items marked with this icon before continuing to the next step.

3.

Last update: **2017/09/11 15:29**