

Minecraft Map-Presenter Setup

Installation auf Redhat / CentOS 7

System Abhängigkeiten nachinstallieren

Installation der benötigten Pakete:

```
# yum -y update
# yum install numpy python-imaging git gcc python-imaging-devel python-pillow-devel
```

Overviewer einrichten

Installation / Kompilierung des Hauptprogramms:

```
# mkdir /opt/mapExtractor
# cd /opt/mapExtractor

# git clone https://github.com/overviewer/Minecraft-Overviewer.git
# cd Minecraft-Overviewer

# python setup.py build
```

Konfiguration des mapExtractors

```
# wget
https://s3.amazonaws.com/Minecraft.Download/versions/1.12.2/1.12.2.jar -P
/opt/mapExtractor/
```

```
# vim /opt/mapExtractor/export_conf
```

```
worlds["world"] = "/opt/minecraft/world/"

renders["world_day"] = {
    "world": "world",
    "title": "Genoni-Server Tag",
    "rendermode": smooth_lighting,
    "dimension": "overworld",
}

renders["world_night"] = {
    "world": "world",
```

```
"title": "Genoni-Server Nacht",
"rendermode": smooth_night,
"dimension": "overworld",
}

renders["world_caves"] = {
  "world": "world",
  "title": "Genoni-Server Caves",
  "rendermode": cave,
  "dimension": "overworld",
}

renders["world_nether"] = {
  "world": "world",
  "title": "Genoni-Server Nether",
  "rendermode": nether_smooth_lighting,
  "dimension": "nether",
}

renders["world_nether_caves"] = {
  "world": "world",
  "title": "Genoni-Server Nether-Caves",
  "rendermode": cave,
  "dimension": "nether",
}

outputdir = "/var/www/html"
texturepath = "/opt/mapExtractor/112.2.jar"
```

Skript zum Ausführen des mapExtractors

```
# vim /opt/MapExtractor/perform_mapExtraction.sh
```

```
#!/bin/bash

newest_client_version=$(curl https://minecraft.net/en-us/download/server |
grep
https://s3.amazonaws.com/Minecraft.Download/versions/./minecraft_server.*.j
ar | cut -d '/' -f6)
client_version_file=$(ls /opt/MapExtractor | grep *.jar)
in_use_client_version=${client_version_file::-4}

echo $in_use_client_version
echo $newest_client_version

if [ $in_use_client_version == $newest_client_version ]; then
```

```
echo "Client is up to date!"
fi

if [ $in_use_client_version != $newest_client_version ]; then
    echo "CLIENT NEEDS UPDATE!"
    rm -f /opt/mapExtractor/*.jar
    wget
    "https://s3.amazonaws.com/Minecraft.Download/versions/$newest_server_version
    "/$newest_server_version.jar" -P /opt/mapExtractor/
    sed -ri
    "s/\opt/mapExtractor/(.*)\.jar/\opt/mapExtractor/$newest_client_versio
    n.jar/" /opt/mapExtractor/export_conf
fi

cd /opt/MapExtractor/

./overviewer.py -v --config=/opt/mapExtractor/export_conf
```

```
# chown -R mcuser:mcuser /opt/mapExtractor
# chmod +x /opt/mapExtractor/perform_mapExtraction.sh
```

```
# /opt/MapExtractor/./perform_mapExtraction.sh
```

Weitere Informationen

- <http://docs.overviewer.org/en/latest/>

Last update: **2017/10/05 15:00**