

Open Source Password Manager

Install Postgres for Psono

The Psono server requires a postgres database with some extensions. This section will explain how to install one and prepare it for the Psono server.

We will be using postgres (tested with version 9.6, but every 9.4+ version should work):

1. First install some requirements:

```
# yum -y install
https://download.postgresql.org/pub/repos/yum/9.6/redhat/rhel-7-x86_64/
pgdg-centos96-9.6-3.noarch.rpm
# yum -y install postgresql96-server postgresql96-contrib
# /usr/pgsql-9.6/bin/postgresql96-setup initdb
# systemctl start postgresql-9.6.service
# systemctl enable postgresql-9.6.service
```

2. Now lets switch the postgres user:

```
# su - postgres
```

3. Create our new DB:

```
# createdb psono
```

4. Now switch the command prompt to postgres command prompt:

```
# psql psono
```

5. Followed by some nice postgres commands to create the user and grant all privileges:

```
CREATE USER psono WITH PASSWORD 'password';
GRANT ALL PRIVILEGES ON DATABASE "psono" to psono;
```

Note: Replace password with a unique password

6. Install some necessary extensions:

```
CREATE EXTENSION IF NOT EXISTS ltree;
CREATE EXTENSION IF NOT EXISTS "pgcrypto";
```

7. (optional) If you want to use this database for unit testing, you should also do:

```
ALTER USER psono CREATEDB;
```

8. To exit this shell and return to your normal user do:

```
\q
```

```
Ctrl + D
```

Other databases are not supported because of missing **ltree extension**

Optional Configuration

(optional) Adjust `pg_hba.conf` in `/var/lib/pgsql/9.6/data`

Depending on your setup you might get `FATAL: Ident authentication failed for user` which makes it necessary to adjust the `pg_hba.conf` e.g. add the following lines:

```
host    psono          psono          127.0.0.1/32      md5
host    psono          psono          ::1/128           md5
```

Afterwards restart postgres e.g.

```
systemctl restart postgresql
```

(optional) Allow network connections

Depending on your setup you might need postgres to listen on public interfaces, allowing other devices in the network to connect to your host. For that edit `postgresql.conf` in `/var/lib/pgsql/9.6/data` and add the following line:

```
listen_addresses = '*'
```

Afterwards restart postgres e.g.

```
systemctl restart postgresql
```

Last update: **2019/05/14 10:01**