

AVS Template Downloader

Skript, welches vom mir erstellt wurde, um komplette Templates auch mit allen sämtlichen zusätzlichen Files von ClipShare und AVS CMS-basierten Webseiten automatisiert zu downloaden.

Skript Sourcecode

Filename: **template_downloader.sh**

```
#!/bin/bash
#*****
**
# Subject      : template_downloader.sh
# Description  :
# Author       : Michael Reber <michael.r467@gmail.com>
# Created      : 2017.07.19
#*****
**

# Creates templateDownload folder if nof exists.
if [ -d "/root/templateDownloader" ]; then
    mkdir /root/templateDownloader
fi

outputdir="/root/templateDownloader"

read -p "Bitte URL angeben:" websiteURL
#websiteURL="192.168.126.128"

#-----GET WEBSITE INFORMATION-----
-----
templateURL=$(curl -s $websiteURL/index.php | grep 'var tpl_url' | cut -d
' ' -f2)

completeURL="$websiteURL$templateURL"

#-----DOWNLOAD TEMPLATE-----
-----
cd $outputdir; mkdir $websiteURL; cd $websiteURL

templateFiles='album.tpl album_addphotos.tpl album_delete.tpl album_edit.tpl
album_slideshow.tpl albums.tpl blog.tpl blog_add.tpl blog_delete.tpl
blog_edit.tpl blogs.tpl categories.tpl community.tpl confirm.tpl edit.tpl
enter.tpl error.tpl errors.tpl feedback.tpl feeds.tpl footer.tpl game.tpl'
```

```
game_edit.tpl games.tpl header.tpl index.tpl invite.tpl login.tpl lost.tpl  
mail.tpl mail_compose.tpl mail_menu.tpl mail_read.tpl messages.tpl  
notice.tpl notices.tpl photo.tpl quick_jumps.tpl requests.tpl  
search_games.tpl search_photos.tpl search_users.tpl search_videos.tpl  
signup.tpl upload.tpl upload_game.tpl upload_photo.tpl upload_video.tpl  
user.tpl user_albums.tpl user_avatar.tpl user_blocks.tpl user_blog.tpl  
user_delete.tpl user_edit.tpl user_favorite_games.tpl  
user_favorite_photos.tpl user_favorite_videos.tpl user_friends.tpl  
user_games.tpl user_info.tpl user_playlist.tpl user_prefs.tpl  
user_profile_menu.tpl user_subscribers.tpl user_subscriptions.tpl  
user_videos.tpl user_wall.tpl users.tpl video.tpl video_embed_vplayer.tpl  
video_vplayer.tpl videos.tpl'
```

```
for singletplfile in $templateFiles; do
```

```
    wget $completeURL/$singletplfile >/dev/null 2>&1
```

```
done; clear
```

```
#-----SEARCH DOWNLOADED FILES, FOR MISSING TPLs-----
```

```
RED='\033[0;31m'; GREEN='\033[0;32m'; NC='\033[0m'
```

```
for file in $(  
for tplfile in $outputdir/$websiteURL/*.tpl ; do
```

```
    grep "include file='.*\.tpl'" $tplfile | cut -d '"' -f2
```

```
done | sort -u
```

```
); do
```

```
    if [ -f $outputdir/$websiteURL/$file ]; then  
        echo -e "${GREEN}Die Datei: $file -- ist vorhanden.${NC}"
```

```
    else
```

```
        echo -e "${RED}ERROR - Die Datei: $file -- fehlt!${NC}"  
        filefolder=$(dirname $file)
```

```
        if [ "$filefolder" == "static" ]; then
```

```
            if [ -d $filefolder ]; then  
                echo "Folder exists!"
```

```
            else
```

```
                mkdir $filefolder;
```

```
            fi
```

```
            cd $filefolder
```

```
        fi
```

```
        wget $completeURL/$file
```

```
        echo ""
```

```
        cd $outputdir; cd $websiteURL
```

```
        echo ""
```

```

        fi
done; clear

#-----SEARCH DOWNLOADED FILES, FOR MISSING JS/CSS/PNG/ICO---
-----
for css_js_file in $(
for otherfile in $outputdir/$websiteURL/*.tpl ; do

        egrep -i '/.*\.(css|js|png|ico)' $otherfile | sed -e
's!"text/javascript"!!g' -e 's!"stylesheet"!!g' -e 's!"navbar-brand"!!g' -e
's!"text/css"!!g' -e 's!"apple-touch-icon"!!g' -e 's!"Shortcut Icon"!!g' -e
's!"image/ico"!!g' | cut -d '"' -f2 | sed -e 's!{\$relative_tpl}/!!g'

done | sort -u
); do
        if [ -f $outputdir/$websiteURL/$css_js_file ]; then
                echo -e "${GREEN}Die Datei: $css_js_file -- ist
vorhanden${NC}"
        else
                echo -e "${RED}ERROR - Die Datei: $css_js_file --
fehlt!${NC}"
                filefolder=$(dirname $css_js_file)

                if [ -d $filefolder ]; then
                        echo "Folder exists!"
                else
                        mkdir $filefolder;
                fi
                cd $filefolder

                wget $completeURL/$css_js_file
                echo ""
                cd $outputdir; cd $websiteURL
                echo ""

        fi
done

#-----SEARCH DOWNLOADED CSS FILES, FOR MISSING RESSOURECE---
-----
for search_css_file in $(
for from_css_files in $outputdir/$websiteURL/css/*.css ; do

        egrep -i '/.*\.(gif|png|jpg|svg)' $from_css_files | awk -F'[][]'
'{print $2}' | sed -e 's!\.\.\/!!g' | cut -d '"' -f2;

done | sort -u
); do
        if [ -f $outputdir/$websiteURL/$search_css_file ]; then
                echo -e "${GREEN}Die Datei: $search_css_file -- ist

```

```
vorhanden${NC}"
    else
        echo -e "${RED}ERROR - Die Datei: $search_css_file --
fehlt!${NC}"
        filefolder=$(dirname $search_css_file)

        if [ -d $filefolder ]; then
            echo "Folder exists!"
        else
            mkdir $filefolder;
        fi
        cd $filefolder

        wget $completeURL/$search_css_file
        echo ""
        cd $outputdir; cd $websiteURL
        echo ""
    fi
done

#-----FINISHING STUFF-----

fontawesome='FontAwesome.otf fontawesome-webfont.eot fontawesome-webfont.svg
fontawesome-webfont.ttf fontawesome-webfont.woff glyphsicons-halflings-
regular.eot glyphsicons-halflings-regular.svg glyphsicons-halflings-
regular.ttf glyphsicons-halflings-regular.woff'
staticTPL='2257.tpl advertise.tpl dmca.tpl faq.tpl privacy.tpl terms.tpl
webmasters.tpl'

cd fonts
for fontfiles in $fontawesome; do

    wget $completeURL/fonts/$fontfiles >/dev/null 2>&1
done
cd $outputdir; cd $websiteURL
cd static
for staticfiles in $staticTPL; do

    wget $completeURL/static/$staticfiles >/dev/null 2>&1
done
exit
```

Last update: **2017/11/13 12:46**